

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

John L. Klocke and Linlin Chen

Application No. 10/688,420

Filed: October 16, 2003

Confirmation No. 2239

For: ELECTROPLATING COMPOSITIONS
AND METHODS FOR
ELECTROPLATING

FILED VIA EFS
ON December 14, 2006

Examiner: Edna Wong

Art Unit: 1753

Attorney Reference No. 6884-65576-01

VIA EFS
COMMISSIONER FOR PATENTS

**RESPONSE TO INCORRECT PTO DOCKET RESPONSE DATE
RECITED IN THE DECEMBER 7, 2006 ADVISORY ACTION**


In response to the Advisory Action mail December 7, 2006, we note that the Advisory Action required a response to the final Office action by September 15, 2006. As discussed via telephone with Examiner Wong on December 12, 2006, the Advisory Action response requirement was issued in error because applicant filed a Notice of Appeal on September 8, 2006, and a Response to the final Office action on November 16, 2006. The Appeal Brief was filed on November 20, 2006.

Confirmation of the withdrawal of the PTO response docket date is requested.

Respectfully submitted,

KLARQUIST SPARKMAN, LLP

By



Lisa M. Caldwell
Registration No. 41,653

One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, Oregon 97204
Telephone: (503) 595-5300
Facsimile: (503) 595-5301